
200x1000MM

Choice Of Architect



15"x60" / 15"x80" / 15"x90" / 20"x100" / 20"x120"



200x
1000MM

WOODEN
Planks Tiles



8000



8000



8001

200x
1000MM

WOODEN
Planks Tiles

200x
1000MM

WOODEN
Planks Tiles



8002



8002



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE SPACERS FOR
BETTER LAYING

200x
1000MM

WOODEN
PLANK TILES

design
poise



8003

200x
1000MM


WOODEN
Planks Tiles

200x
1000MM

WOODEN
Planks Tiles



8004





SUITABLE FOR WALL & FLOOR



BRIGHT FINISHING TILES



RANDOM PATTERN



USE SPACERS FOR BETTER LAYING

8005



8005

200x
1000MM

WOODEN
Planks Tiles

200x
1000MM

WOODEN
Planks Tiles



8006



8007



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles

200x
1000mm | **WOODEN**
PLANK TILES



design
splendor



8008



8008



200x
1000MM

WOODEN
Planks Tiles



8009



8010



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8011



8012



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN







USE GROUTING FOR
BETTER LAYING



8013

200x
1000MM | WOODEN
Planks Tiles



-  SUITABLE FOR WALL & FLOOR
-  BRIGHT FINISHING TILES
-  RANDOM PATTERN
-  SEE GUIDELINE FOR BETTER LAYING



8014

200x
1000MM | WOODEN
Planks Tiles

200x
1000MM

WOODEN
Planks Tiles



8015



8016



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8017



200x
1000MM

WOODEN
Planks Tiles



8018



8019



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES




RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM | WOODEN
Planks Tiles



8020



200x
1000MM | **WOODEN**
PLANK TILES



design
finesse

8021



8021

200x
1000MM | **WOODEN**
Planks Tiles

200x
1000MM | WOODEN
Planks Tiles



8022





8023



8023

200x
1000MM

WOODEN
Planks Tiles

200x
1000MM

WOODEN
Planks Tiles



8024



8025



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN




USE GROUTING FOR
BETTER LAYING

200x
1000MM | WOODEN
Planks Tiles



8026

200x
1000mm | WOODEN
PLANK TILES



8026

design
finesse




200x
1000MM | **WOODEN**
PLANK TILES

design
splendor



8027

200x
1000MM | **WOODEN**
Planks Tiles



8028

200x
1000MM

WOODEN
Planks Tiles



8029



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING



200x
1000mm | **WOODEN**
PLANK TILES



8029

200x
1000MM

WOODEN
Planks Tiles



8030



8031



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES




RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000mm | **WOODEN**
PLANK TILES



design
finesse



8032

200x
1000MM | **WOODEN**
Planks Tiles


200x
1000MM | WOODEN
Planks Tiles



8033



200x
1000MM | WOODEN
PLANK TILES



design
finesse



8034

200x
1000MM | WOODEN
Planks Tiles

200x
1000MM

WOODEN
Planks Tiles



8035



8036



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8037



8038



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8039



8040



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8041



8042



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING




8043

200x
1000MM

WOODEN
Planks Tiles

200x
1000MM | WOODEN
Planks Tiles

200x
1000MM | WOODEN
PLANK TILES



8044

design
finesse



8044



200x
1000MM

WOODEN
Planks Tiles



8045



8046



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN




USE GROUTING FOR
BETTER LAYING



8047

200x
1000MM

WOODEN
Planks Tiles



8048



8048

200x
1000MM

WOODEN
Planks Tiles

200x
1000MM

WOODEN
Planks Tiles



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

8049



8049



200x
1000MM

WOODEN
Planks Tiles



8050



8051



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8052



8053



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING



8054

200x
1000MM | WOODEN
Planks Tiles

200x
1000MM | WOODEN
Planks Tiles



8055



200x
1000MM

WOODEN
Planks Tiles



8056



8057



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8058



8059



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES




RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM | **WOODEN**
PLANK TILES



8060

design
finesse



8060

200x
1000MM | **WOODEN**
Planks Tiles

200x
1000MM

WOODEN
Planks Tiles



8061



8062



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8063





8064

200x
1000MM

WOODEN
Planks Tiles

200x
1000MM

WOODEN
Planks Tiles



8065



8066



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8067





8068

200x
1000MM | WOODEN
Planks Tiles

200x
1000MM | WOODEN
Planks Tiles



8069





8070


200x
1000MM | WOODEN
Planks Tiles

200x
1000MM

WOODEN
Planks Tiles



8071



200x
1000MM

WOODEN
Planks Tiles



8072



8073



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING



8074

200x
1000MM

WOODEN
Planks Tiles

200x
1000MM | WOODEN
Planks Tiles



8075



8076



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM | WOODEN
Planks Tiles



8077



200x
1000MM | WOODEN
Planks Tiles



8078





8079

200x
1000MM

WOODEN
Planks Tiles

200x
1000MM | **WOODEN**
Planks Tiles

200x
1000MM | **WOODEN**
PLANK TILES



design
poise



8080



8080




8081

200x
1000MM | WOODEN
Planks Tiles

200x
1000MM | WOODEN
Planks Tiles



8082



200x
1000MM

WOODEN
Planks Tiles



8083



8084



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8085



8086



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN




USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8087



8088-TA



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8089-TA



8090-TA



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8091



8092-1612



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM | WOODEN
Planks Tiles



8093-1603



8094-1600



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN




USE GROUTING FOR
BETTER LAYING

200x
1000MM | WOODEN
Planks Tiles



8095



8096



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8097



8098



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM | WOODEN
Planks Tiles



8099-1589



8100



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8101



8102



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8103



8104-1593



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN




USE GROUTING FOR
BETTER LAYING

200x
1000MM | WOODEN
Planks Tiles



8105-1614



8106-1616



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8107-1615



8108-1633



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8109



8110



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8111



8112



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8113



8114



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM | WOODEN
Planks Tiles



8115



8116



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8117



8118



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES




RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Planks Tiles



8119-1575



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

200x
1000MM

WOODEN
Rectified Tiles

Technical
Characteristics

low water
absorption



colour
stability



dimensional
stability



abrasion
resistant



stain
resistant



fireproof
material



superior
mechanical
resistance



highly
uv
resistant



resistance
to freezing
and thawing



highly
scratch
resistant



maximum
resistance
to fire
and heat



suitable for
constant
contact
with water



SUITABLE FOR
WALL & FLOOR



BRIGHT FINISHING
TILES



RANDOM
PATTERN



USE GROUTING FOR
BETTER LAYING

Technical Specification

Sr. No.	Property	International Std. ISO 13006/EN176 Group	Tiles Value	Method of Testing
1	Deviation in Length	+/- 0.6%	+/- 0.3%	ISO 10545 Pt2
2	Deviation in thickness	+/- 5%	+/- 3%	ISO 10545 Pt2
3	Straightness of sides	+/- 0.5%	+/- 0.1%	ISO 10545 Pt2
4	Rectaangularity	+/- 0.6%	+/- 0.2%	ISO 10545 Pt2
5	** Surface flatness	+/- 0.5%	+/- 0.2%	ISO 10545 Pt2
6	Water absorpation	< 2 - 4%	< 3 - 5%	ISO 10545 Pt3
7	* Mohs hardness	>6	>6	EN 101
8	Flexual Strenght	>35N/mm ²	>40N/mm ²	ISO 10545 Pt4
9	Abrasion resistance	>175/mm ²	<144 mm ³	ISO 10545 Pt6
10	**Skid resistance (friction Coefficient)	>0.4	> 0.4%	ISO 10545 Pt17
11	Breaking Strenght	1113 N	2800 N	ISO 10545 Pt4
12	Frost resistance	Frost Proof	Frost Proof	ISO 10545 Pt12
13	Chemical resistance	No Damage	No Damage	ISO 10545 Pt13
14	Thermal Shock resistance	No Damage	No Damage	ISO 10545 Pt9
15	Colour resistance	No Damage	No Damage	DIN 51094
16	Stain resistance	Resistance	Resistance	ISO 10545 -14
17	Moisture Expansion	NIL	NIL	ISO 10545 -10
18	** Glossiness	-	Min.80% reflection	Glossmeter
19	Resistance to Surface Abrasion (of tiles intended for use on Floors)	Abrasion Class Shall be specified by the manufacture	PEI Group V	ISO - 10545 - 7 IS : 13630 - 11

PACKING DETAILS

Sr. No.	Size	No. of Tiles Per Box	Thickness	Coverage Area in sq.mt / Sq.ft	Approx Weight of Box
1	200x1000mm	5 Pcs.	9 to 9.2mm	1.00/ 10.76	19 kg