





THE ENERGYOF NATURE, THE CHARM OF DECORATION.

The Carving collection crystallizes aesthetic-design rigor on the ceramic Tiles and the discreet elegance of the decoration.

Technical Features

The significant life events of this tile collection flawlessly support today's modern lifestyle, with qualities such as scratch resistance, germ resistance, stain resistance, and more.







* Stain

















Resistance

Resistance

Resistance





600× 1200mm


























Tiles ALBETA BEIGE









Tiles ALISA CREMA Size 60x120cm


























Size Tiles 60x120cm AMERICAN WOOD NERO









































Tiles ARMANI GRIS
























Size Tiles 60x120cm ASIA NATURAL


















Tiles AZARO NATURAL

















CEPPO MULTI WHITE


DX

CARVING


Finish: **Carving**

Random: **2**

Size: 600x 1200mm










Tiles CEPPO BLACK - White Size 60x120cm











Tiles CHINA CREMA
















Size Tiles 60x120cm COSMOS NERO

















Tiles COSTE CREMA











Size Tiles 60x120cm CICILIA MARFIL









Size Tiles 60x120cm FLORITE CREMA















Size Tiles 60x120cm FROSTY CREMA





HEAVEN BIANCO

Finish: **Carving**

Random: **4**


Size: 600x 1200mm





Size Tiles 60x120cm HEAVEN BIANCO
















Size Tiles 60x120cm MARINA CREMA









Size Tiles 60x120cm MEPAL WOOD BROWN

























NEON GRIS Finish: **Carving**

Random: **5**

Size: 600x 1200mm








Size Tiles 60x120cm NEON GRIS











NESIA NATURAL

Finish: **Carving**

Random: **4**

Size: 600x 1200mm







Size Tiles 60x120cm NESIA NATURAL



































Size Tiles 60x120cm OAK WOOD BEIGE






















Size Tiles 60x120cm OSCAR EARTH










Tiles PANAMA BEIGE










Size Tiles 60x120cm SOFIA GREY
























Tiles MARVEL TAUPE





















Size Tiles 60x120cm STRIP WOOD NATURAL















the state

1833





Tiles TRAVERTINE CAMEL















Size Tiles 60x120cm VIVA CAMEL









Size Tiles 60x120cm ZESTY CREMA

600X1200MM

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been


STATUARIO Carving collection













Size Tiles 60x120cm CRACEL WHITE





RETRO BROWN

Finish: **Carving**

Random: **5**

Size: 600x 1200mm







Com RETRO BROWN

Size 60x120cm










Tiles SWISS WHITE

Size 60x120cm









Com VENATO WHITE

Size 60x120cm

Technical Specification

| GVT- PGVT | |
|------------------------|--|
| 600 X 1200 MM | |

| CHARACTERISTIC | TEST METHOD | INTERNATIONAL STD ISO 13006/EN 176 GROUP Bla | VALUE |
|--|---|---|-----------------------|
| D | IMENSION & SURFACE QU | ALITY | |
| Deviation in length | ISO-10545-2 | 45-2 +0.6% ±0.2 | |
| Deviation in Thickness | ISO-10545-2 | ±5% | |
| Straight of Sides | ISO-10545-2 | ±0.5% | ±0.2% |
| Rectangularity | ISO-10545-2 | ±0.5% | ±0.2% |
| Surface Flatness | ISO-10545-2 | ±0.5% | ±0.2% |
| PH | IYSICAL & THERMAL PROP | ERTIES | |
| Flexural Strength | ISO-10545-4 | > 35N/mm ² | > 40N/mm ² |
| Skid Resistance (Friction Coefficient) | tance (Friction Coefficient) ISO-10545-17 | | > 0.4 |
| Breaking Strenght | renght ISO-10545-11 | | >100N |
| Frost Resistance | ISO-10545-12 | Frost Proof | Frost Proof |
| Thermal Shock Resistance | ISO-10545-9 | No Damage | No Damage |
| Noisture Expansion | ISO-10545-10 | NIL | NIL |
| Resistance to Surface Abrasion | ISO-10545-7 | Abrasion class shall be specified by the manufacturer | PIE IV |
| | CHEMICAL PROPERTIES | S | |
| Chemical Resistance | ISO-10545-13 | No Damage | No Damage |
| Color Resistance | ISO-10545-16 | No Damage No I | |
| Stain Resistance | ISO-10545-14 | Resistant | Resistant |

Note :

Certain amount of size and shade variation is inherent in all ceramic products.
Our conformity to the above Fast is applicable only for Quality.

PACKING DETAILS

| Dimension | | | | |
|------------|--------|-----------|----------|-----------------|
| (MM) | PIECES | Thickness | Sq. Feet | Weight (Apx.) |
| 600x1200MM | 2 | 8.5mm | 15.50 | 28 kgs. |

THANK YOU

