

**Pastel**  
Color Collection

GVT-PGVT

600x  
1200mm /

**600x**  
**1200mm**



## THE ENERGY OF NATURE, THE CHARM OF DECORATION.

The Pastel collection crystallizes aesthetic-design rigor on the ceramic Tiles and the discreet elegance of the decoration.



SIZE:  
**600X1200MM**

## Technical Features

The significant life events of this tile collection flawlessly support today's modern lifestyle, with qualities such as scratch resistance, germ resistance, stain resistance, and more.



Scratch  
Resistance



Fire  
Resistance



Frost  
Resistance



Stain  
Resistance



Dimensional  
Stability



Germ  
Resistance



Chemical  
Resistance



Water  
Resistance



# Pastel

Color Collection

SURFACES  
FOR EVERY  
SPACE

## Technical Features



Easy To  
Maintain



UV  
Resistant



Prevents Bacterial  
Growth



Heat  
Resistant



Water  
Proof



Resistant To  
Chemicals



Resistant To  
Acids



Non-slip



Dimensional  
Stability



Frost  
Resistant


# INDEX

01	PASTEL BIANCO
02	PASTEL BLUE
03	PASTEL BROWN
04	PASTEL CREMA
05	PASTEL GREEN
06	PASTEL GREY
07	PASTEL GRIS
08	PASTEL MUSTARD
09	PASTEL NERO
10	PASTEL PINK
11	PASTEL PURPLE
12	PASTEL RED
13	PASTEL RUST
14	PASTEL SKY
15	PASTEL TEAL

## Inspire in NATURE COLORS



Available in **Matt & Glossy**



**PASTEL  
BIANCO**

FINISH  
**PASTEL COLOR**


**5 RANDOM** SIZE:  
PHASE **600x1200mm**





**PASTEL  
BIANCO**

Available in **Matt & Glossy**



**PASTEL  
GREY**

FINISH  
**PASTEL COLOR**

**5 RANDOM**    **SIZE:**  
PHASE        **600x1200mm**








**PASTEL  
GREY**

Available in **Matt & Glossy**



**PASTEL  
GRIS**

FINISH  
**PASTEL COLOR**


**5 RANDOM**    **SIZE:**  
PHASE        **600x1200mm**





**PASTEL  
GRIS**

Available in **Matt & Glossy**



**PASTEL  
NERO**

FINISH  
**PASTEL DARK COLOR**


**5 RANDOM**    **SIZE:**  
PHASE        **600x1200mm**





**PASTEL  
NERO**

Available in **Matt & Glossy**



**PASTEL  
SKY**

FINISH  
**PASTEL COLOR**


**5 RANDOM**    **SIZE:**  
PHASE        **600x1200mm**





**PASTEL  
SKY**

Available in **Matt & Glossy**



**PASTEL  
BLUE**

FINISH  
**PASTEL DARK COLOR**

**5 RANDOM**    **SIZE:**  
PHASE        **600x1200mm**







**PASTEL  
BLUE**

Available in **Matt & Glossy**

**PASTEL  
TEAL**

FINISH  
**PASTEL DARK COLOR**


**5 RANDOM**    **SIZE:**  
PHASE        **600x1200mm**





**PASTEL  
TEAL**

Available in **Matt & Glossy**



**PASTEL  
CREMA**

FINISH  
**PASTEL COLOR**


**5 RANDOM**    **SIZE:**  
PHASE        **600x1200mm**





**PASTEL  
CREMA**


Available in **Matt & Glossy**



**PASTEL  
RUST**

FINISH  
**PASTEL COLOR**


**4 RANDOM**    **SIZE:**  
PHASE        **600x1200mm**





**PASTEL  
RUST**

Available in **Matt & Glossy**



**PASTEL  
MUSTARD**

FINISH  
**PASTEL DARK COLOR**

**4 RANDOM** SIZE:  
PHASE **600x1200mm**








**PASTEL  
MUSTARD**


Available in **Matt & Glossy**



**PASTEL  
BROWN**

FINISH  
**PASTEL DARK COLOR**


**4 RANDOM** SIZE:  
PHASE **600x1200mm**





**PASTEL  
BROWN**


Available in **Matt & Glossy**



**PASTEL  
RED**

FINISH  
**PASTEL DARK COLOR**


**4 RANDOM** SIZE:  
PHASE **600x1200mm**





**PASTEL  
RED**


Available in **Matt & Glossy**



**PASTEL  
PINK**

FINISH  
**PASTEL DARK COLOR**


**4 RANDOM** SIZE:  
PHASE **600x1200mm**





**PASTEL  
PINK**

Available in **Matt & Glossy**



**PASTEL  
PURPLE**

FINISH  
**PASTEL DARK COLOR**

**4 RANDOM** SIZE:  
PHASE **600x1200mm**








**PASTEL  
PURPLE**

Available in **Matt & Glossy**



**PASTEL  
GREEN**

FINISH  
**PASTEL DARK COLOR**

**4 RANDOM**    **SIZE:**  
PHASE        **600x1200mm**





**PASTEL  
GREEN**

# Technical Specification

GVT-  
PGVT

600  
X  
1200  
MM

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP B1a	VALUE
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation in length	ISO-10545-2	+0.6%	±0.2%
Deviation in Thickness	ISO-10545-2	±5%	±3%
Straight of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.5%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
<b>PHYSICAL &amp; THERMAL PROPERTIES</b>			
Flexural Strength	ISO-10545-4	> 35N/mm <sup>2</sup>	> 40N/mm <sup>2</sup>
Skid Resistance (Friction Coefficient)	ISO-10545-17	> 0.4	> 0.4
Breaking Strength	ISO-10545-11	>1113N	>100N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Noisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV
<b>CHEMICAL PROPERTIES</b>			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

Note :

1. Certain amount of size and shade variation is inherent in all ceramic products.
2. Our conformity to the above Fast is applicable only for Quality.

## PACKING DETAILS

Dimension (MM)				
	PIECES	Thickness	Sq. Feet	Weight ( Apx. )
600x1200MM	2	8.5mm	15.50	28 kgs.

**THANK YOU**

---